



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/659,213

09/10/2003

Katsuhiko Miya

P/1250-261

5700

2352 7590 01/29/2009  
OSTROLENK FABER GERB & SOFFEN  
1180 AVENUE OF THE AMERICAS  
NEW YORK, NY 100368403

EXAMINER

HECKERT, JASON MARK

ART UNIT

PAPER NUMBER

1792

MAIL DATE

DELIVERY MODE

01/29/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/659,213	<b>Applicant(s)</b> MIYA ET AL.	
	<b>Examiner</b> JASON HECKERT	<b>Art Unit</b> 1792	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 16 December 2008.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 5, 14, 23 and 28-36 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 5, 14, 23 and 32 is/are allowed.
- 6) ☒ Claim(s) 28-31 and 33-36 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                       | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>11-19-08, 12-16-08</u> .                                      | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

### ***Response to Arguments***

1. Applicant's arguments filed 11/19/08 have been fully considered but they are not persuasive. Examiner still maintains that the claimed guide parts, even as amended, are mere changes in shape or form that are considered to be obvious modifications to one of ordinary skill. The prior art of Okuda teaches cups that have a curved shape. '294 teaches guide parts that fit into the reclamation of system of a substrate processing apparatus. Thus, these principals are well known in the art. While the design discussed in claim 28 part f differs slightly from these embodiments, it does not differ significantly beyond the scope of what is taught by Okuda and '294. Furthermore, applicant has done little to prove that such slight modification of shape and design produces an advantageous or unexpected result.

### ***Claim Rejections - 35 USC § 103***

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 28-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sumnitch in view of Japanese Patent Application Laid-Open No. 11-87294 ('294) in view of Okuda et al. (Okuda) and Japanese Patent Application Laid-Open 2000-183010 ('010) and further in view of Ono et al. Sumnitch discloses the components of a substrate processing apparatus comprising a substrate holding part 10, a rotary part 7,

Art Unit: 1792

a liquid supply 42 with conduits 44 and 45, a plurality of guide parts 36-38, a plurality of guide passages 39-41, a position adjusting part as indicated by 22, wherein the multiple guide/recovery parts are stacked. Sumnitch also discloses that the processing liquids can consist of a rinse agent, such as water, and chemical agents, such as acids. These features are not exclusive to Sumnitch and are well known in the art. '294 is an example of another substrate processing apparatus that has similar components. Sumnitch does not disclose the distinct structure of the guide parts of the claimed invention. Liquid guide parts, or cups, are well known in the art to capture the liquid flying from the substrate. It would be obvious to implement any of the many known styles of guide part since they are functional equivalents. '294 discloses the use of a guide part that extends obliquely upward toward the substrate holder as well as liquid guide passages formed between adjacent guide parts. '294 also discloses a cylindrical portion branching off of an inclined portion, corresponding to the applicant's third cylindrical part. See figure 7. In regards to claim 10, the guide parts do form passages corresponding to the overlying guide parts. For example, part 31a corresponds to fluid outlet 27a, but also forms the part of the guide corresponding to outlet 27b. Also, 31a is over a cylindrical part that forms passages 24a and 24b. '294 also shows that the liquid passages are slidably inserted by the lifting mechanism into tanks formed by partition members 22a, 22b, 22c, and 22d. However, '294 does not disclose a projected part extending obliquely upward toward the holding part. Okuda discloses a cup 3 of substantial annular shape, having a projected part projecting obliquely upward toward a holding part from a first cylindrical part and an inclined part extending obliquely

Art Unit: 1792

downward toward said holding part from said first cylindrical part. Thus, a cup of the claimed shape was known at the time of the invention. Additionally, the nesting of guard mechanisms is considered to be within the skill of one practicing the art. '010 shows another conformation of nesting guards involving projecting portions, inclined portions, and a cylindrical part 30 that is located higher than the cylindrical portion of the outer guard (see figure 5). It would have been obvious, at the time of the invention to modify Sumnitch, and include the guide parts of '294, as they enable selective recovery of fluids by associating a specific guide part with a specific fluid passage. Additionally, it would have been obvious to further modify Sumnitch in view of '294, and include enclosing guide parts (cups), as disclosed by Okuda et al. and '010 in order to recover fluids. The claimed elements were known in the prior art and the combination would have yielded predictable results to one of ordinary skill in the art at the time of the invention. As stated previously, Sumnitch discloses many of the features common to substrate processing apparatuses throughout the art. However, he does not disclose a four stage splash guard or a lifting mechanism. Ono et al. discloses a four stage splash guard 3 that can be raised or lowered. This feature is not exclusive to Ono et al., and can be found throughout the art. In regards to the configuration and shape of the guards and guides, Okuda and '010 are believed to render the design obvious as changes in shape or form have been held to be obvious. *In re Dailey* 149 USPQ 47, 50 (CCPA 1966). The mere change of shape is not considered to be patentably distinct absent a showing of unexpected results. It would have been obvious to modify Sumnitch in view of '294, Okuda, and '010, as stated above and further include a fourth

Art Unit: 1792

guard and mobilize the guards in a vertical direction, as disclosed by Ono et al., in order to allow for the introduction of a fourth fluid and allow for simple interchangeability of the guide parts.

4. In regards to claims 30-31, '294 clearly shows annular first recovery tanks and a plurality of pipes leaving the tanks. Sumnitch discloses annular first recovery tanks connected to storage tanks as well as a discharge pipe 48 discarding waste material from the first recovery tank. Neither Sumnitch, Okuda, nor '294 disclose annular storage tanks. Changes in shape or form have been held to be obvious. *In re Dailey* 149 USPQ 47, 50 (CCPA 1966). Sumnitch discloses the use of a storage tank. A mere change in the shape of the storage tank cannot be considered patentable, as the storage tank still performs the intended function of storing material.

5. Claims 33-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sumnitch in view of '294 in view of Okuda in view of Ono et al. and further in view of Miya et al. None of the above references teach a discharge nozzle shooting water in the vicinity of the substrate holder. Miya et al., disclose a substrate treating apparatus that has nozzles 52 for shooting solution (rinse or chemical) in the vicinity of the substrate holder. In order to deliver such solution, the nozzle must be in fluid connection with a liquid source via some sort of piping or liquid passage. Furthermore, flexible piping is notoriously well known in the art. Miya et al. disclose the device in order to spray solution at the back of the wafer, yet the device is fully capable of delivering solution to a rotary chuck that does not have holes for cleaning purposes. It would have been obvious at the time of the invention, to modify Sumnitch as stated

Art Unit: 1792

above, and further include a nozzle, as disclosed by Miya et al., to shoot water in the vicinity of the substrate holder.

***Allowable Subject Matter***

6. Claims 5, 14, 23, and 32 are allowed.

***Conclusion***

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JASON HECKERT whose telephone number is (571)272-2702. The examiner can normally be reached on Mon. to Friday, 9:00 - 5:30.

Art Unit: 1792

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Barr can be reached on (571)272-1414. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Michael Barr/  
Supervisory Patent Examiner, Art  
Unit 1792

JMH